

Data sheet Issue 03/2024

TIXOGEL-CCT

Fully activated rheology additive based on organophilic phyllosilicate for oil and solvent phases in personal care applications.

Product data

Composition

Gel of organophilic phyllosilicate (INCI: Caprylic/Capric Triglyceride, Stearalkonium Bentonite, Propylene Carbonate)

Typical properties

The values indicated in this data sheet describe typical properties and do not constitute specification limits.

Viscosity (25 °C, 0.5 rqm): 1,000,000-7,000,000 mPa·s

Total viable count: max. 100 cfu/g

Color: green Delivery form: gel

Storage and transportation

TIXOGEL-CCT should be transported and stored dry in unopened original packaging at temperatures between 0 °C and 30 °C.

Applications

Personal care

Special features and benefits

TIXOGEL-CCT is an easy-to-use, fully activated mastergel consisting of stearalkonium bentonite dispersed in caprylic/capric triglyceride. Stearalkonium bentonite is an organically modified bentonite (organophilic phyllosilicate) of non-animal origin for use in cosmetic products.

The additive provides thixotropic flow behavior in a variety of solvent-based cosmetic formulations. TIXOGEL-CCT stabilizes emulsions and enables rich and creamy consistencies without a greasy or tacky skin feel. It is also ideal for stabilizing pigments in color cosmetics.

Data sheet Issue 03/2024

Recommended use

1

especially recommended recommended

Recommended levels

3–10 % additive (as supplied) based on the total formulation, when used in emulsions. 5–20 % additive (as supplied) based on the total formulation, when used in wax-based systems.

The final amount of TIXOGEL-CCT used depends on the desired thickening and stabilization in the formulation.

The above recommended levels can be used for orientation. The optimum dosage should be determined by application-related test series.

Incorporation and processing instructions

TIXOGEL-CCT can be easily incorporated at almost any stage of the manufacturing process with medium shear. For an optimal dispersion, the additive is mixed and homogenized with a portion of the most compatible organic component or solvent of the formulation before other ingredients are added.

Special note

TIXOGEL-CCT is a fully activated mastergel. It does not require further activation.









BYK-Chemie GmbH
Abelstraße 45
46483 Wesel
Germany
Tel +49 281 670-0
Fax +49 281 65735

info@byk.com www.byk.com ADD-MAX®, ADD-VANCE®, ANTI-TERRA®, AQUACER®, AQUAMAT®, AQUATIX®, BENTOLITE®, BYK®, BYK®-AQUAGEL®, BYK®-DYNWET®, BYK-MAX®, BYK®-SILCLEAN®, BYKANOL®, BYKCARE®, BYKETOL®, BYKOZBLOCK®, BYKONITE®, BYKOPLAST®, BYKUMEN®, CARBOBYK®, CERACOL®, CERAFAK®, CERAFLOUR®, CERAMAT®, CERATIX®, CLAYTONE®, CLOISITE®, DISPERBYK®, DISPERBYA®, FULACOLOR®, FULCAT®, GARAMITE®, GELWHITE®, HORDAMER®, LACTIMON®, LAPONITE®, MINERPOL®, NANOBYK®, OPTIBENT®, OPTIFLO®, OPTIGEL®, POLYAD®, PRIEX®, PURABYK®, PURE THIX®, RECYCLOBLEND®, RECYCLOBYK®, RECYCLOSTAB®, RHEOBYK®, RHEOCIN®, RHEOTIX®, SCONA®, SILBYK®, TIXOGEL® and VISCOBYK® are registered trademarks of the BYK group.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

This issue replaces all previous versions.