Data Sheet Issue 06/2017

# **BYK-W 909**

Wetting and dispersing additive to reduce the viscosity in highly filled UP casting resin systems. Not available in the EU. BYK-W 908 should be used as an alternative.

## **Product Data**

#### Composition

Solution of a boric acid ester

## **Typical Properties**

The values indicated in this data sheet describe typical properties and do not constitute specification limits.

Density (20 °C): 0.85 g/ml Refractive index (20 °C): 1.405 Flash point: 27 °C

## **Food Contact Legal Status**

For the current food contact legal status, please contact our product safety department or visit www.byk.com for further information.

# **Applications**

# **Ambient Curing Resin Systems**

## **Special Features and Benefits**

BYK-W 909 is a wetting and dispersing additive for highly filled UP casting resin systems. It reduces the viscosity of polyester casting resin systems (polymer concrete, artificial marble, onyx). BYK-W 909 improves the flow behavior and the leveling of the resin mixture, without affecting the curing or the color.

#### **Recommended Levels**

0.5-1.5 % additive (as supplied) based upon the fillers.

With a filler content > 75 %, the amount of additive should be 1-2 % based upon the resin.

The above recommended levels can be used for orientation. Optimal levels are determined through a series of laboratory tests.

## **Incorporation and Processing Instructions**

For optimum performance, the additive should be added before the solids.

#### **BYK-W 909**

Data Sheet Issue 06/2017







**BYK-Chemie GmbH** P.O. Box 10 02 45 46462 Wesel Germany Tel +49 281 670-0 Fax +49 281 65735

info@byk.com www.byk.com ACTAL®, ADD-MAX®, ADD-VANCE®, ADJUST®, ADVITROL®, ANTI-TERRA®, AQUACER®, AQUAMAT®, AQUATIX®, BENTOLITE®, BYK®, BYK®-DYNWET®, BYK®-SILCLEAN®, BYKANOL®, BYKETOL®, BYKOZBLOCK®, BYKOPLAST®, BYKUMEN®, CARBOBYK®, CERACOL®, CERAFAK®, CERAFLOUR®, CERAMAT®, CERATIX®, CLAYTONE®, CLOISITE®, DISPERBYK®, DISPERBYK®, FULACOLOR®, FULCAT®, GARAMITE®, GELWHITE®, HORDAMER®, LACTIMON®, LAPONITE®, MINERAL COLLOID®, MINERPOL®, NANOBYK®, OPTIBENT®, OPTIFLO®, OPTIGEL®, PAPERBYK®, PERMONT®, PRIEX®, PURE THIX®, RHEOCIN®, RHEOTIX®, SCONA®, SILBYK®, TIXOGEL®, VISCOBYK® and Y 25® are registered trademarks of the BYK group.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

This issue replaces all previous versions – Printed in Germany